

22 SS Mens Sports



Mens Sports Outerwear



基础畅销 *Basis best-selling*

keyword : Fluorless waterproof




NDYw219045



NDYw219043

ART NO:	NDYW219044
CONTENT:	68% N 32% C
WEIGHT:	171 GSM / 5.04 OZ
WIDTH:	56/57
FINISHING:	Fluorless waterproof



基础畅销 *Basis best-selling*

keyword : Fluorless waterproof




ART NO: NAYw219042
CONTENT: 62% C 38% N
WEIGHT: 124 GSM / 3.66 OZ
WIDTH: 57/58
FINISHING: Fluorless waterproof

Buyer: Unqilo
Order qty: 800k

基础畅销 *Basis best-selling*

keyword : Fluorless waterproof



BEYw210259



ART NO: BEYw210258

CONTENT: 70% C 30% N

WEIGHT: 168 GSM / 4.95 OZ

WIDTH: 57/58

FINISHING: Fluorless waterproof

Buyer : Unqlio
Order qty: 500k

基础畅销 *Basis best-selling*



ART NO: NAXO200323
CONTENT: 70% C 30% N
WEIGHT: 174 GSM / 5.13 OZ
WIDTH: 56/57
FINISHING: AIRO




基础畅销 *Basis best-selling*



ART NO: NKYJ210220
CONTENT: 76% C 24% N
WEIGHT: 122 GSM / 3.60 OZ
WIDTH: 58/59
FINISHING: microsand peach



实用通勤 *Practical commuting*



ART NO:	CKDJ200856
CONTENT:	78% C 22% P

WEIGHT: 133 GSM / 3.92 OZ

WIDTH: 57/58

FINISHING: microsand peach+Sorona(T400)

实用通勤*Practical commuting*



OKYO21A031+KF

ART NO:	OKYB21A029+KF
CONTENT:	78% C 22% Terry
WEIGHT:	77 GSM / 2.27 OZ
WIDTH:	51/52
FINISHING:	Xin bio-3

实用通勤 *Practical commuting*



ART NO: CKYO200470+KF

CONTENT: 54% C 43% P 3% SP

WEIGHT: 148 GSM / 4.37 OZ

WIDTH: 57/58

FINISHING: AIRO



实用通勤 *Practical commuting*



OKYO21A032+KF

ART NO:	OKYB21A027+KF
CONTENT:	81% C 19% Terry
WEIGHT:	122 GSM / 3.60 OZ
WIDTH:	55/56
FINISHING:	Xin bio-3

实用通勤 *Practical commuting*



ART NO: CVTB190124+KF
CONTENT: 73% P 18% C 9% N
WEIGHT: 169 GSM / 4.98 OZ
WIDTH: 58/59
FINISHING: regular

实用通勤 *Practical commuting*



ART NO: CHYJ190120+KF
CONTENT: 54% P 36% C 10% N
WEIGHT: 166 GSM / 4.90 OZ
WIDTH: 57/58
FINISHING: Skin touch finishing



实用通勤 *Practical commuting*



ART NO: BHYT21A045
CONTENT: 86% P 14% C
WEIGHT: 207 GSM / 6.11 OZ
WIDTH: 57/58
FINISHING: recycle polyester+BCI



运动机能 *Sports fuction*

keyword : wicking、anti-UV、cool feeling



OYYB200658+KF

ART NO: OYYB200582+KF
CONTENT: 80% P 20% TEN
WEIGHT: 147 GSM / 4.34 OZ
WIDTH: 56/57
FINISHING: Functional yarn (wicking+anti-UV+cool feeling)



M E N S S P O R T S
T R O U S E R S

基础畅销 *Basis best-selling*

keyword: *wicking*



CADP171762

ART NO: CADP209044
CONTENT: 64% P 33% C 3% SP
WEIGHT: 172 GSM / 5.07OZ
WIDTH: 58/59
FINISHING: wicking

基础畅销 *Basis best-selling*



ART NO: NKYB200425+KF
CONTENT: 64% C 33% N 3% SP
WEIGHT: 130 GSM / 3.83 OZ
WIDTH: 56/57
FINISHING: Regular

ART NO: BEYB200986
CONTENT: 79% C 18% N 3% SP
WEIGHT: 206 GSM / 6.08 OZ
WIDTH: 57/58
FINISHING: Regular



Buyer:GAP

基础畅销 *Basis best-selling*




ART NO: BHLB21A020
CONTENT: 81% C 16% N 3% SP
WEIGHT: 186 GSM / 5.49 OZ
WIDTH: 57/58
FINISHING: recycle cotton

基础畅销 *Basis best-selling*


keyword: *wicking*



BLP209084



BLP209086



ART NO: BLP209083
CONTENT: 66% C 29% N 5% SP
WEIGHT: 230 GSM / 6.78 OZ
WIDTH: 55/56
FINISHING: LAFA peach+wicking



基础畅销 *Basis best-selling*




ART NO: CADT200292
CONTENT: 60% C 40% P
WEIGHT: 241 GSM / 7.11 OZ
WIDTH: 57/58
FINISHING: LAFA peach




Buyer: Decathlon

实用通勤*Practical commuting*



ART NO: CAYU184043+KF
CONTENT: 60% C 37% P 3% SP
WEIGHT: 190 GSM / 5.60 OZ
WIDTH: 54/55
FINISHING: recycle polyester+Skin feeling finishing

实用通勤 *Practical commuting*



ART NO: BYYB210126
CONTENT: 55% C 42% P 3% SP
WEIGHT: 231 GSM / 6.81 OZ
WIDTH: 51/52
FINISHING: Regular



实用通勤*Practical commuting*




ART NO: BMDB200320
CONTENT: 67% C 30% P 3% SP
WEIGHT: 202 GSM / 5.96 OZ
WIDTH: 57/58
FINISHING: recycle polyester



Buyer:Decathlon



ART NO: NHAB200302
CONTENT: 56% C 41% N 3% SP
WEIGHT: 167 GSM / 4.93 OZ
WIDTH: 57/58
FINISHING: regular



ART NO: OAYB200493+KF
CONTENT: 75% C 22% Terryl 3% SP
WEIGHT: 194 GSM / 5.72 OZ
WIDTH: 56/57
FINISHING: Xin bio-1

舒適棉彈 *comfortable cotton & spandex*



ART NO: TGYT182941+KF
CONTENT: 54% TEN 25% C 18% N 3% SP
WEIGHT: 217 GSM / 6.40 OZ
WIDTH: 47/48
FINISHING: LAFA



舒适棉弹 *comfortable cotton & spandex*



ART NO: NFXB200383+KF
CONTENT: 88% C 8% N 4% SP
WEIGHT: 174 GSM / 5.13 OZ
WIDTH: 54/55
FINISHING: washed



ART NO: VKRB190864
CONTENT: 68% V 29% C 3% SP
WEIGHT: 202 GSM / 5.96 OZ
WIDTH: 47/48
FINISHING: High Stretch

舒適肌理 *Comfortable texture*



ART NO: BORO200846
CONTENT: 98% C 2% SP
WEIGHT: 137 GSM / 4.04 OZ
WIDTH: 57/58
FINISHING: AIRO



舒適肌理 *Comfortable texture*



ART NO: BKXO152170+KF

CONTENT: 95% C 5% SP

WEIGHT: 142 GSM / 4.19 OZ

WIDTH: 43/44



舒適肌理 *Comfortable texture*



ART NO:	BKYA200936
CONTENT:	71% C 27% N 2% SP
WEIGHT:	154 GSM / 4.54 OZ
WIDTH:	55/56
FINISHING:	Polishing

舒適肌理 *Comfortable texture*



ART NO: BKXO200886+KF
CONTENT: 51% C 45% V 4% SP
WEIGHT: 182 GSM / 5.37OZ
WIDTH: 57/58
FINISHING: super soft



ART NO: TMXO190867
CONTENT: 66% C 31% Lyocell 3% SP
WEIGHT: 170 GSM / 5.01 OZ
WIDTH: 57/58
FINISHING: AIRO

舒適肌理 *Comfortable texture*



ART NO:	BMRB183887
CONTENT:	97% C 3% SP

WEIGHT: 218 GSM / 6.43 OZ

WIDTH: 50/51

FINISHING: regular

舒適肌理 *Comfortable texture*



ART NO: BOYB210244+KF
CONTENT: 52% C 45% P 3% SP
WEIGHT: 228 GSM / 6.72 OZ
WIDTH: 55/56
FINISHING: regular



ART NO: BTBB190446+KF
CONTENT: 97% C 3% SP
WEIGHT: 238 GSM / 7.02 OZ
WIDTH: 56/57
FINISHING: regular

舒適肌理 *Comfortable texture*



ART NO: NMYB210021
CONTENT: 56% C 42% N 2% SP
WEIGHT: 235 GSM / 6.93 OZ
WIDTH: 56/57
FINISHING: regular





H E I Q



ART NO: BKYB210172+KF
CONTENT: 56% C 42% 2%SP
WEIGHT: 142 GSM / 4.21 OZ
WIDTH: 56/57
FINISHING: Smart and cool temperature control finishing



ART NO: BMYB210171+KF
CONTENT: 75% C 22% P 3% SP
WEIGHT: 149 GSM / 4.39 OZ
WIDTH: 54/55
FINISHING: Smart and cool temperature control finishing



Test report

HEIQ

keyword : Smart and cool temperature control



HeiQ Testing Services

Report: LS21-00730



Date: March 26, 2021

Test report overview

General info	Name	Contact	Key Account Manager
Customer	Zhejiang Mizuda Textile	L. Cao	-
Distributor	HeiQ Technology Co. Ltd.	C. Huang	-
Brand owner	The Gap, Inc.	P. Flores	T. Skedzuhn
Brand label	Old Navy	Application at	Client
Reason for testing	Product testing	Application by	Not specified
Effects	HeiQ Smart Temp	Scale	-

Test methods carried out in this report

Effect / Property	Testing standard	Test parameter
Domestic laundering	ISO 6330:2013	4G: 40°C, gentle setting (wool silk synthetics)
Absorbency of textiles: Drop test	AATCC TM 79-2014	Absorbency test with water droplets
Dynamic evaporation test	HeiQ PM_6.8_WI3	Dynamic evaporation test on thin textiles at 20 and 35°C
Vertical wicking test	AATCC TM 197-2013	Vertical wicking - distance for set time

Test results: Very good effect level

Test summary / comments:
The sample shows good performance in Dynamic Evaporation and AATCC 197 Wicking test.

HeiQ Testing Services

Report: LS21-00730



Date: March 26, 2021

Samples, finishing process and textile information

Sample	Sample description
1	A2012J023GYL AC-06 3%+SHF 2%
2	A2012J024GYL AC-06 3%+SHF 2%

Recipe	Sample number	
Product	1	2
Adaptive AC-06 [%]	3	3
Hydro SHF [%]	2	2
Substrates	1	2
Cotton [%]	66	75
Polyester [%]	31	22
Elastane (Polyurethane) [%]	3	3
Textile information	1	2
Weight [g/m2]	-	-
Construction	WOV	CKN
Structure	-	-

Legend:

Construction process	Textile structure
WOV = Woven	
CKN = Circular Knit	

HeiQ Testing Services

Report: LS21-00730



Date: March 26, 2021

Wearer Comfort Testing

Recipe	Sample number			
Product	1		2	
Adaptive AC 06 [%]	3		3	
Hydro SHF [%]	2		2	
ISO 6330 parameters	1-1	1-2	2-1	2-2
ISO 6330 4G		10		10
Drying conditions		A		A

AATCC 079: Water drop test

Sub-Samples	1-1	1-2	2-1	2-2
Test target drop test [s]	-	-	-	-
Average drop test [s]	1.0	1.0	4.0	3.0
Std Dev drop test [s]	0.0	0.0	0.0	0.0

HeiQ Dynamic Evaporation (standard)

Samples	1-1	1-2	2-1	2-2
target Normalized rmance [%]	-	-	-	-
alized performance c-PT [%]	323.0	365.3	331.9	449.1
oration difference T high	1046	1066	1065	1169
oration difference T low	340	304	357	349

C 197-B: Vertical wicking - set time

Samples	1-1	1-2	2-1	2-2
target (vertical wicking)	-	-	-	-
ing distance (warp/wele ion) [mm]	145	154	92	91
ing distance (weft/course ion) [mm]	109	112	81	78
ing time (short) [min]	2	2	2	2
ing time (long) [min]	10	10	10	10

HeiQ Testing Services

Report: LS21-00730



Date: March 26, 2021

Test costs information (Pro-Forma invoice)

Item	Price per item	No item	Costs
LIMS license + reporting	250	1	250
AATCC 79: Drop test (wetting)	10	4	40
HeiQ Dynamic evaporation test	50	4	200
AATCC 197-B: Vertical wicking (distance after set time)	40	4	160
ISO 6330 4G (delicate)	8	12	96

Total value of this report: USD 746.-

FINISHING: Teflon EcoElite

运动机能*Sports fuction*



keyword : Antibacterial 、 anti-wrinkle、 self-cleaning



ART NO:	BADK209070
CONTENT:	41% C 32% LYOCELL 24% P 3% SP
WEIGHT:	162 GSM / 4.78 OZ
WIDTH:	57/58
FINISHING:	Antibacterial + anti-wrinkle + self-cleaning

运动机能Sports fuction

keyword : cold fiber



BOYA219041



检验检测报告 (电子版)
报告查询网址: www.gtgc.net.cn
防伪码: MFXC-6084-04
共1页 第1页



No.: 200203456




委托单位	东莞市以纯集团有限公司 地址: 广东省东莞市虎门镇新下路7号				
客户认定信息	弹力粘涤纶平布 (VYU190805-KF) 50cm×50cm 商标: 以纯 批号款号: 21EW-PWS0022 颜色: 灰色 纤维成分: 47%V 38%P 13%N 2%SP 号型规格: (R30+N200+N200)×T150D (冰凉丝)/40D 116×66 生产单位: 浙江美欣达纺织印染科技有限公司				
检验性质	委托检测	样品受理/测试开始日期	2020-07-08	报告签发日期	2020-07-11
判定依据	GB/T 35263-2017 《纺织品 接触瞬间凉感性能的检测和评价》				
综合检验结论					
检验检测结果	检验检测项目 (计量单位) (样品说明)	测试方法	标准值及允差	检验检测结果	判定
	●接触凉感系数 (J/(cm ² ·s))	GB/T 35263-2017 裁样台材质: 聚苯乙 烯泡沫 仪器型号: KES-F7 试验条件: 20.1℃, ±0.5. 0% 热板温度: 35. 0℃ 冷板温度: 20. 0℃	≥0.15	1# 0.258 2# 0.246 3# 0.249 4# 0.253 5# 0.246 平均值 0.25	符合
备注	本报告检验检测项目均在相应标准规定的环境条件下进行(有注明的除外)。复印件、副本未重新加盖报告书确认章无效。本报告检验检测地址为广州市番禺区珠江路1号。				



签发: 郭子山 高级工程师 郭子山
——本报告结束——



ART NO: BOYA219040
CONTENT: 59% C 38% P 3% SP
WEIGHT: 169 GSM / 4.98 OZ
WIDTH: 57/58
FINISHING: cold fiber



CDXB200938



CDXB200919


ART NO: CDXB200940
CONTENT: 92% P 8% SP
WEIGHT: 219 GSM / 6.46 OZ
WIDTH: 57/58
FINISHING: waterproof

运动机能 *Sports fuction*

keyword : Antibacterial、wicking、anti-pilling



OWYB209073+KF



ART NO: OAYB209088+KF
CONTENT: 56% V 38% Naton 6% SP
WEIGHT: 219 GSM / 6.46 OZ
WIDTH: 54/55
FINISHING: Antibacterial+wicking+anti-pilling



运动机能 *Sports function*

keyword : TruTemp 365




ART NO: CFYB20A020+KF
CONTENT: 56% V 38% Naton 6% SP
WEIGHT: 233 GSM / 6.87 OZ
WIDTH: 55/56
FINISHING: TruTemp365+recycle polyester





Mens sports--NIKE



ART NO:	BKYB210048
CONTENT:	66% C 32% N 2% SP
WEIGHT:	140 GSM / 4.13 OZ
WIDTH:	57/58
FINISHING:	Regular



BKYB210049

ART NO:	BKYB210053
CONTENT:	69% C 31% P
WEIGHT:	111 GSM / 3.27 OZ
WIDTH:	54/55
FINISHING:	Sorona




ART NO: BKTW219001
CONTENT: 56% C 22% P 22% N
WEIGHT: 226 GSM / 6.67 OZ
WIDTH: 57/58
FINISHING: waterproof



N I K E

Keyword:waterproof



ART NO:	BKYB210051
CONTENT:	66% C 32% N 2% SP
WEIGHT:	160 GSM / 4.72 OZ
WIDTH:	56/57
FINISHING:	waterproof

T H A N K S

